

# SCC-mini Salt Chlorinator

SLEEK AND COMPACT DESIGN

For residential pools



 **Emaux**  
water technology

CE RoHS  
COMPLIANT  
2002/95/EC

Pool & Spa Equipment

**SIGNATURE COLLECTION**

# Product Information



## SIMPLE AND RELIABLE

SSC-mini Salt Chlorinator is designed for the residential pools up to 90,000 liters.

Using the latest technology, SSC-mini combines an intuitive interface with robust components for extremely user friendly installation and operation. This maintenance free chlorinator represents the best value for money in the market.

## The Cell


- 1) Titanium plates for a maximum chlorine production of 20 gram/h
- 2) Self-cleaning reverse polarity
- 3) Water flow sensor
- 4) Temperature sensor
- 5) Translucent casing with connections for 50 mm / 1 ½" or 63 mm / 2" pipes



## Features of the cell

- 1) Easy to install, maintain and replace
- 2) Maximum working pressure: 2.5 bar
- 3) Perfect suited for magnesium salted pools
- 4) Affordable spare parts

## Product Dimensions and Technical Information




Code	Model	Input Voltage/ Frequency	Salt Level	Cell Output	Maximum Pool Size	Cell Connections
88380702	SSCmini	220-240V / 50-60Hz	3000ppm	20gr/hr	90,000 Liters	1.5" / 50mm or 2" / 63mm

## Intuitive Control Panel

- 1. Low cell life:** the cell electrodes have to be replaced.
- 2. No flow:** water flow is not detected, or water flow is too low.
- 3. Alarm:** the unit is not working properly.
- 4. Stand-by:** the unit is between operation cycles.
- 5. Normal operation:** Electrolytic cell is generating chlorine under normal conditions.
- 6. Super-chlorination:** Electrolytic cell will be generating chlorine non-stop for 24 hours.
- 7. Work schedule:** indicate the working period
- 8. Simple control buttons:**
  - **Work schedule control button:** adjusts the working time
  - **Super-chlorination button:** activates super-chlorination mode

## Advantages

- 1) USER-FRIENDLY** Easy operations with few buttons
- 2) EASY INSTALLATION** Minimum piping modifications for existing installations
- 3) DURABLE** Long cell lifetime and economic spare parts available
- 4) GOOD PERFORMANCE** Less handling of chemicals and better quality of water



**EMAUX WATER TECHNOLOGY CO., LTD**

ADDRESS: Flat A-D, 20/F., Kai Bo 22, 22 Wing Kin Road,  
Kwai Chung, Hong Kong  
PHONE +852 2832 9880  
[www.emauxgroup.com](http://www.emauxgroup.com)

 **YOUR PREMIER SUPPLIER**

**Available from:**

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.  
© 2021 EMAUX WATER TECHNOLOGY CO., LTD. ALL RIGHTS RESERVED.

[www.emauxgroup.com](http://www.emauxgroup.com)